


nach DIN 8187



Kettenradscheiben für Dreifach-Rollenketten

nach DIN 8187



ISO-Nr. 06 B-3

Teilung/Pitch: 9,525 mm - 3/8" x 7/32"
 Rollen-Ø/Roller-Ø: 6,35 mm
 Zahnkranzbreite/Width of tooth, B1: 5,2 mm
 Zahnkranzbreite/Width of tooth, B3: 25,6 mm

Artikel-Nr.	Zähne	Teilkreis d [mm]	d(b) [mm]	Gewicht [kg]
30.090-008	8	24,89	6	0,04
30.090-009	9	27,85	8	0,06
30.090-010	10	30,82	10	0,77
30.090-011	11	33,81	10	0,10
30.090-012	12	36,80	10	0,12
30.090-013	13	39,80	10	0,15
30.090-014	14	42,80	12	0,19
30.090-015	15	45,81	12	0,22
30.090-016	16	48,82	12	0,26
30.090-017	17	51,84	12	0,30
30.090-018	18	54,85	12	0,35
30.090-019	19	57,87	12	0,39
30.090-020	20	60,89	12	0,44
30.090-021	21	63,91	14	0,48
30.090-022	22	66,93	14	0,54
30.090-023	23	69,95	14	0,60
30.090-024	24	72,97	14	0,66
30.090-025	25	76,00	14	0,72
30.090-026	26	79,02	14	0,79
30.090-027	27	82,05	14	0,86
30.090-028	28	85,07	14	0,94
30.090-029	29	88,10	14	1,01
30.090-030	30	91,12	14	1,09
30.090-031	31	94,15	16	1,17
30.090-032	32	97,18	16	1,26
30.090-033	33	100,20	16	1,35
30.090-034	34	103,23	16	1,44
30.090-035	35	106,26	16	1,53
30.090-036	36	109,29	16	1,61
30.090-038	38	115,34	16	1,81
30.090-040	40	121,40	16	2,02
30.090-041	41	124,43	16	2,13
30.090-042	42	127,46	16	2,25
30.090-043	43	130,49	16	2,37
30.090-044	44	133,52	16	2,49
30.090-045	45	136,55	16	2,61
30.090-046	46	139,58	16	2,74
30.090-047	47	142,61	16	2,86
30.090-048	48	145,64	16	3,00
30.090-050	50	151,69	16	3,27
30.090-051	51	154,72	20	3,41
30.090-052	52	157,75	20	3,55
30.090-056	56	169,88	20	4,12
30.090-057	57	172,91	20	4,28
30.090-058	58	175,94	20	4,44
30.090-060	60	182,00	20	4,77
30.090-064	64	194,12	20	5,46
30.090-065	65	197,15	20	5,64

Fortsetzung der Tabelle auf der Folgeseite.

ISO-Nr. 08 B-3

Teilung/Pitch: 12,7 mm - 1/2" x 5/16"
 Rollen-Ø/Roller-Ø: 8,51 mm
 Zahnkranzbreite/Width of tooth, B1: 7,1 mm
 Zahnkranzbreite/Width of tooth, B3: 34,9 mm

Artikel-Nr.	Zähne	Teilkreis d [mm]	d(b) [mm]	Gewicht [kg]
30.124-008	8	33,19	10	0,11
30.124-009	9	37,13	10	0,16
30.124-010	10	41,10	10	0,21
30.124-011	11	45,08	12	0,26
30.124-012	12	49,07	12	0,33
30.124-013	13	53,07	12	0,40
30.124-014	14	57,07	12	0,48
30.124-015	15	61,08	12	0,57
30.124-016	16	65,10	16	0,64
30.124-017	17	69,12	16	0,74
30.124-018	18	73,14	16	0,85
30.124-019	19	77,16	16	0,97
30.124-020	20	81,18	16	1,09
30.124-021	21	85,21	16	1,22
30.124-022	22	89,24	16	1,36
30.124-023	23	93,27	16	1,50
30.124-024	24	97,30	16	1,65
30.124-025	25	101,33	16	1,81
30.124-026	26	105,36	16	1,98
30.124-027	27	109,40	16	2,15
30.124-028	28	113,43	16	2,33
30.124-029	29	117,46	16	2,52
30.124-030	30	121,50	16	2,71
30.124-031	31	125,53	20	2,88
30.124-032	32	129,57	20	3,09
30.124-033	33	133,61	20	3,30
30.124-034	34	137,64	20	3,53
30.124-035	35	141,68	20	3,76
30.124-036	36	145,72	20	3,99
30.124-038	38	153,79	20	4,49
30.124-040	40	161,87	20	5,01
30.124-042	42	169,94	25	5,51
30.124-043	43	173,98	25	5,79
30.124-044	44	178,02	25	6,09
30.124-045	45	182,06	25	6,39
30.124-046	46	186,10	25	6,69
30.124-047	47	190,14	25	7,01
30.124-048	48	194,18	25	7,33
30.124-050	50	202,26	25	7,99
30.124-052	52	210,34	25	8,68
30.124-053	53	214,38	25	9,04
30.124-054	54	218,42	25	9,40
30.124-055	55	222,46	25	9,77
30.124-056	56	226,50	25	10,15
30.124-057	57	230,54	25	10,53
30.124-060	60	242,66	25	11,73
30.124-062	62	250,74	25	12,56
30.124-064	64	258,83	25	13,42
30.124-065	65	262,87	25	13,86


Fortsetzung der Tabelle auf der Folgeseite.



nach DIN 8187

Kettenradscheiben für Dreifach-Rollenketten

nach DIN 8187



ISO-Nr. 06 B-3

Teilung/Pitch: 9,525 mm - 3/8" x 7/32"

Rollen-Ø/Roller-Ø: 6,35 mm

Zahnkranzbreite/Width of tooth, B1: 5,2 mm

Zahnkranzbreite/Width of tooth, B3: 25,6 mm

Artikel-Nr.	Zähne	Teilkreis d [mm]	d(b) [mm]	Gewicht [kg]
30.090-066	66	200,18	25	5,83
30.090-070	70	212,30	25	6,59
30.090-072	72	218,37	25	6,99
30.090-076	76	230,49	25	7,83
30.090-080	80	242,61	25	8,71
30.090-085	85	257,77	25	9,87
30.090-090	90	272,93	25	11,11
30.090-095	95	288,08	25	12,42
30.090-100	100	303,24	25	13,81
30.090-110	110	333,55	25	16,79
30.090-114	114	345,68	25	18,07
30.090-120	120	363,87	25	20,07
30.090-125	125	379,03	25	21,82

ISO-Nr. 08 B-3

Teilung/Pitch: 12,7 mm - 1/2" x 5/16"

Rollen-Ø/Roller-Ø: 8,51 mm

Zahnkranzbreite/Width of tooth, B1: 7,1 mm

Zahnkranzbreite/Width of tooth, B3: 34,9 mm

Artikel-Nr.	Zähne	Teilkreis d [mm]	d(b) [mm]	Gewicht [kg]
30.124-068	68	274,99	25	15,22
30.124-070	70	283,07	25	16,17
30.124-072	72	291,15	25	17,14
30.124-075	75	303,28	25	18,65
30.124-076	76	307,32	25	19,17
30.124-080	80	323,49	25	21,32
30.124-085	85	343,69	25	24,15
30.124-090	90	363,90	25	27,17
30.124-095	95	384,11	25	30,36
30.124-100	100	404,32	25	33,73
30.124-114	114	460,91	25	44,10
30.124-120	120	485,16	25	48,96
30.124-125	125	505,37	25	53,21

ISO-Nr. 10 B-3

Teilung/Pitch: 15,875 mm - 5/8" x 3/8"

Rollen-Ø/Roller-Ø: 10,16 mm

Zahnkranzbreite/Width of tooth, B1: 8,9 mm

Zahnkranzbreite/Width of tooth, B3: 42,1 mm

Artikel-Nr.	Zähne	Teilkreis d [mm]	d(b) [mm]	Gewicht [kg]
30.150-008	8	41,48	12	0,23
30.150-009	9	46,42	12	0,32
30.150-010	10	51,37	12	0,43
30.150-011	11	56,35	12	0,54
30.150-012	12	61,34	12	0,67
30.150-013	13	66,33	12	0,82
30.150-014	14	71,34	12	0,97
30.150-015	15	76,35	12	1,14
30.150-016	16	81,37	16	1,29
30.150-017	17	86,39	16	1,49
30.150-018	18	91,42	16	1,70
30.150-019	19	96,45	16	1,92
30.150-020	20	101,48	16	2,15
30.150-021	21	106,51	16	2,40
30.150-022	22	111,55	16	2,66
30.150-023	23	116,59	16	2,94
30.150-024	24	121,62	16	3,23
30.150-025	25	126,66	16	3,53
30.150-026	26	131,70	20	3,81
30.150-027	27	136,74	20	4,13
30.150-028	28	141,79	20	4,48
30.150-029	29	146,83	20	4,83
30.150-030	30	151,87	20	5,20
30.150-031	31	156,92	20	5,58
30.150-032	32	161,96	20	5,97

Fortsetzung der Tabelle auf der Folgeseite.

ISO-Nr. 12 B-3

Teilung/Pitch: 19,05 mm - 3/4" x 7/16"

Rollen-Ø/Roller-Ø: 12,07 mm

Zahnkranzbreite/Width of tooth, B1: 10,9 mm

Zahnkranzbreite/Width of tooth, B3: 49,8 mm

Artikel-Nr.	Zähne	Teilkreis d [mm]	d(b) [mm]	Gewicht [kg]
30.190-008	8	49,78	12	0,42
30.190-009	9	55,70	12	0,57
30.190-010	10	61,65	12	0,75
30.190-011	11	67,62	16	0,91
30.190-012	12	73,60	16	1,13
30.190-013	13	79,60	16	1,38
30.190-014	14	85,61	16	1,64
30.190-015	15	91,63	16	1,93
30.190-016	16	97,65	16	2,20
30.190-017	17	103,67	16	2,54
30.190-018	18	109,70	16	2,89
30.190-019	19	115,74	16	3,27
30.190-020	20	121,78	16	3,67
30.190-021	21	127,82	20	4,10
30.190-022	22	133,86	20	4,55
30.190-023	23	139,90	20	5,02
30.190-024	24	145,95	20	5,51
30.190-025	25	151,99	20	6,02
30.190-026	26	158,04	20	6,56
30.190-027	27	164,09	20	7,12
30.190-028	28	170,14	20	7,71
30.190-029	29	176,19	20	8,31
30.190-030	30	182,25	20	8,94
30.190-031	31	188,30	25	9,52
30.190-032	32	194,35	25	10,19


Fortsetzung der Tabelle auf der Folgeseite.

nach DIN 8187



Kettenradscheiben für Dreifach-Rollenketten

nach DIN 8187



ISO-Nr. 10 B-3

Teilung/Pitch: 15,875 mm - 5/8" x 3/8"

Rollen-Ø/Roller-Ø: 10,16 mm

Zahnkranzbreite/Width of tooth, B1: 8,9 mm

Zahnkranzbreite/Width of tooth, B3: 42,1 mm

Artikel-Nr.	Zähne	Teilkreis d [mm]	d(b) [mm]	Gewicht [kg]
30.150-033	33	167,01	20	6,38
30.150-034	34	172,05	20	6,80
30.150-035	35	177,10	20	7,23
30.150-036	36	182,15	25	7,62
30.150-037	37	187,19	25	8,08
30.150-038	38	192,24	25	8,55
30.150-039	39	197,29	25	9,04
30.150-040	40	202,33	25	9,54
30.150-041	41	207,38	25	10,05
30.150-042	42	212,43	25	10,58
30.150-043	43	217,48	25	11,12
30.150-044	44	222,53	25	11,67
30.150-045	45	227,58	25	12,24
30.150-046	46	232,63	25	12,82
30.150-047	47	237,68	25	13,41
30.150-048	48	242,73	25	14,02
30.150-049	49	247,77	25	14,63
30.150-050	50	252,82	25	15,27
30.150-052	52	262,92	25	16,57
30.150-053	53	267,97	25	17,24
30.150-055	55	278,08	25	18,63
30.150-057	57	288,18	25	20,06
30.150-060	60	303,33	25	22,32
30.150-064	64	323,53	30	25,43
30.150-065	65	328,58	30	26,26
30.150-068	68	343,74	30	28,83
30.150-070	70	353,84	30	30,61
30.150-072	72	363,94	30	32,45
30.150-075	75	379,10	30	35,30
30.150-076	76	384,15	30	36,27
30.150-080	80	404,36	30	40,31
30.150-085	85	429,62	30	45,65
30.150-090	90	454,88	30	51,32
30.150-095	95	480,14	30	57,32
30.150-100	100	505,40	30	63,66
30.150-110	110	555,92	30	77,32
30.150-114	114	576,13	30	83,15

ISO-Nr. 12 B-3

Teilung/Pitch: 19,05 mm - 3/4" x 7/16"

Rollen-Ø/Roller-Ø: 12,07 mm

Zahnkranzbreite/Width of tooth, B1: 10,9 mm

Zahnkranzbreite/Width of tooth, B3: 49,8 mm

Artikel-Nr.	Zähne	Teilkreis d [mm]	d(b) [mm]	Gewicht [kg]
30.190-033	33	200,41	25	10,89
30.190-034	34	206,46	25	11,61
30.190-035	35	212,52	25	12,35
30.190-036	36	218,57	25	13,11
30.190-037	37	224,63	25	13,90
30.190-038	38	230,69	25	14,71
30.190-039	39	236,74	25	15,54
30.190-040	40	242,80	25	16,39
30.190-042	42	254,92	25	18,17
30.190-043	43	260,98	25	19,10
30.190-044	44	267,03	25	20,04
30.190-045	45	273,09	25	21,00
30.190-047	47	285,21	25	23,00
30.190-048	48	291,27	25	24,04
30.190-050	50	303,39	25	36,17
30.190-052	52	315,51	25	28,40
30.190-054	54	327,63	25	30,72
30.190-055	55	333,69	25	31,91
30.190-057	57	345,81	30	34,28
30.190-058	58	351,87	30	35,54
30.190-060	60	363,99	30	38,13
30.190-065	65	394,30	30	44,99
30.190-066	66	400,36	30	46,43
30.190-070	70	424,61	30	52,42
30.190-072	72	436,73	30	55,55
30.190-076	76	460,98	30	62,08
30.190-080	80	485,23	30	68,98
30.190-085	85	515,54	30	78,10
30.190-090	90	545,85	30	87,79
30.190-095	95	576,17	30	98,04
30.190-100	100	606,48	30	108,86
30.190-110	110	667,11	30	132,19
30.190-114	114	691,36	30	142,15
30.190-120	120	727,74	30	157,78
30.190-125	125	758,06	30	171,41






nach DIN 8187

Kettenradscheiben für Dreifach-Rollenketten

nach DIN 8187



ISO-Nr. 16 B-3

Teilung/Pitch: 25,4 mm - 1" x 17,02"

Rollen-Ø/Roller-Ø: 15,88 mm

Zahnkranzbreite/Width of tooth, B1: 15,8 mm

Zahnkranzbreite/Width of tooth, B3: 79,6 mm

ISO-Nr. 20 B-3

Teilung/Pitch: 31,75 mm - 1 1/4" x 3/4"

Rollen-Ø/Roller-Ø: 19,05 mm

Zahnkranzbreite/Width of tooth, B1: 18,2 mm

Zahnkranzbreite/Width of tooth, B3: 91,0 mm

Artikel-Nr.	Zähne	Teilkreis d [mm]	d(b) [mm]	Gewicht [kg]
30.250-008	8	66,37	20	1,13
30.250-009	9	74,26	20	1,56
30.250-010	10	82,20	20	2,05
30.250-011	11	90,16	20	2,53
30.250-012	12	98,14	20	3,15
30.250-013	13	106,14	20	3,84
30.250-014	14	114,15	20	4,59
30.250-015	15	122,17	20	5,40
30.250-016	16	130,20	30	6,16
30.250-017	17	138,23	30	7,11
30.250-018	18	146,27	30	8,11
30.250-019	19	154,32	30	9,18
30.250-020	20	162,37	30	10,31
30.250-021	21	170,42	30	11,51
30.250-022	22	178,48	30	12,77
30.250-023	23	186,54	30	14,10
30.250-024	24	194,60	30	15,49
30.250-025	25	202,66	30	16,94
30.250-026	26	210,72	30	18,33
30.250-027	27	218,79	30	19,91
30.250-028	28	226,86	30	21,55
30.250-029	29	234,93	30	23,27
30.250-030	30	243,00	30	25,04
30.250-031	31	251,07	30	26,88
30.250-032	32	259,14	30	28,78
30.250-033	33	267,21	30	30,75
30.250-034	34	275,28	30	32,78
30.250-035	35	283,36	30	34,88
30.250-036	36	291,43	30	37,04
30.250-038	38	307,58	30	41,55
30.250-040	40	323,74	30	46,32
30.250-042	42	339,89	30	51,34
30.250-044	44	356,05	30	56,63
30.250-045	45	364,12	30	59,36
30.250-046	46	372,20	30	62,17
30.250-048	48	388,36	30	67,96
30.250-050	50	404,52	30	74,01
30.250-052	52	420,68	40	79,98
30.250-055	55	444,92	40	89,92
30.250-057	57	461,08	40	96,88
30.250-060	60	485,33	40	107,78
30.250-065	65	525,73	40	127,24
30.250-068	68	549,98	40	139,69

Fortsetzung der Tabelle auf der Folgeseite.

Artikel-Nr.	Zähne	Teilkreis d [mm]	d(b) [mm]	Gewicht [kg]
30.310-008	8	82,97	20	2,03
30.310-009	9	92,83	20	2,79
30.310-010	10	102,75	20	3,67
30.310-011	11	112,70	20	4,54
30.310-012	12	122,67	20	5,64
30.310-013	13	132,67	20	6,87
30.310-014	14	142,68	20	8,20
30.310-015	15	152,71	20	9,65
30.310-016	16	162,75	25	11,07
30.310-017	17	172,79	25	12,75
30.310-018	18	182,84	25	14,54
30.310-019	19	192,90	25	16,45
30.310-020	20	202,96	25	18,48
30.310-021	21	213,03	25	20,62
30.310-022	22	223,10	25	22,87
30.310-023	23	233,17	25	25,24
30.310-024	24	243,25	25	27,73
30.310-025	25	253,32	25	30,32
30.310-026	26	263,41	25	33,03
30.310-027	27	273,49	25	35,86
30.310-028	28	283,57	25	38,80
30.310-030	30	303,74	25	45,03
30.310-032	32	323,92	30	51,72
30.310-033	33	334,01	30	55,23
30.310-034	34	344,10	30	58,86
30.310-035	35	354,20	30	62,61
30.310-036	36	364,29	30	66,47
30.310-037	37	374,38	30	70,44
30.310-038	38	384,48	30	74,52
30.310-040	40	404,67	30	83,04
30.310-045	45	455,15	40	105,96
30.310-050	50	505,65	40	132,13
30.310-055	55	556,15	40	161,16
30.310-057	57	576,35	40	173,58
30.310-060	60	606,66	40	193,06
30.310-065	65	657,17	40	227,83


Fortsetzung der Tabelle auf der Folgeseite.

nach DIN 8187



Kettenradscheiben für Dreifach-Rollenketten

nach DIN 8187



ISO-Nr. 16 B-3

Teilung/Pitch: 25,4 mm - 1" x 17,02 mm

Rollen-Ø/Roller-Ø: 15,88 mm

Zahnkranzbreite/Width of tooth, B1: 15,8 mm

Zahnkranzbreite/Width of tooth, B3: 79,6 mm

Artikel-Nr.	Zähne	Teilkreis d [mm]	d(b) [mm]	Gewicht [kg]
30.250-070	70	566,14	40	148,31
30.250-072	72	582,31	40	79,60
30.250-076	76	614,64	40	175,70
30.250-080	80	646,97	40	195,25
30.250-085	85	687,39	40	221,13
30.250-090	90	727,80	40	248,61
30.250-095	95	768,22	40	277,70
30.250-114	114	921,81	40	402,85

ISO-Nr. 20 B-3

Teilung/Pitch: 31,75 mm - 1 1/4" x 3/4"

Rollen-Ø/Roller-Ø: 19,05 mm

Zahnkranzbreite/Width of tooth, B1: 18,2 mm

Zahnkranzbreite/Width of tooth, B3: 91,0 mm

Artikel-Nr.	Zähne	Teilkreis d [mm]	d(b) [mm]	Gewicht [kg]
30.310-070	70	707,68	40	265,46
30.310-076	76	768,30	40	314,40
30.310-080	80	808,71	40	349,31
30.310-095	95	960,28	40	496,59
30.310-114	114	1152,27	40	720,16

ISO-Nr. 24 B-3

Teilung/Pitch: 38,1 mm - 1 1/2" x 1"

Rollen-Ø/Roller-Ø: 25,4 mm

Zahnkranzbreite/Width of tooth, B1: 23,6 mm

Zahnkranzbreite/Width of tooth, B3: 120,3 mm

Artikel-Nr.	Zähne	Teilkreis d [mm]	d(b) [mm]	Gewicht [kg]
30.380-008	8	99,56	25	3,67
30.380-009	9	111,40	25	5,10
30.380-010	10	123,29	25	6,75
30.380-011	11	135,23	25	8,42
30.380-012	12	147,21	25	10,50
30.380-013	13	159,20	25	12,81
30.380-014	14	171,22	25	15,33
30.380-015	15	183,25	25	18,08
30.380-016	16	195,29	25	21,04
30.380-017	17	207,35	25	24,22
30.380-018	18	219,41	25	27,61
30.380-019	19	231,48	25	31,23
30.380-020	20	243,55	25	35,06
30.380-021	21	255,63	30	38,60
30.380-022	22	267,72	30	42,87
30.380-023	23	279,80	30	47,36
30.380-024	24	291,90	30	52,07
30.380-025	25	303,99	30	56,99
30.380-026	26	316,09	30	62,14
30.380-027	27	328,19	30	67,50
30.380-028	28	340,29	30	73,08
30.380-030	30	364,49	40	84,90
30.380-032	32	388,71	40	97,59
30.380-035	35	425,04	40	118,26
30.380-038	38	461,37	40	140,90
30.380-040	40	485,60	40	157,08

Fortsetzung der Tabelle auf der Folgeseite.

ISO-Nr. 28 B-3

Teilung/Pitch: 44,45 mm - 1 3/4" x 1 1/4"

Rollen-Ø/Roller-Ø: 27,94 mm

Zahnkranzbreite/Width of tooth, B1: 28,8 mm

Zahnkranzbreite/Width of tooth, B3: 148,0 mm


Artikel-Nr.	Zähne	Teilkreis d [mm]	d(b) [mm]	Gewicht [kg]
30.450-008	8	116,15	25	6,39
30.450-009	9	129,96	25	8,79
30.450-010	10	143,84	25	11,56
30.450-011	11	157,77	30	14,44
30.450-012	12	171,74	30	17,93
30.450-013	13	185,74	30	21,80
30.450-014	14	199,76	30	26,02
30.450-015	15	213,79	30	30,61
30.450-016	16	227,84	30	35,57
30.450-017	17	241,91	30	40,90
30.450-018	18	255,98	30	46,59
30.450-019	19	270,06	30	52,64
30.450-020	20	284,14	30	59,06
30.450-021	21	298,24	30	65,20
30.450-023	23	326,44	30	79,87
30.450-025	25	354,65	40	95,99
30.450-030	30	425,24	40	142,70
30.450-038	38	538,27	40	236,43
30.450-040	40	566,54	40	263,52

Fortsetzung der Tabelle auf der Folgeseite.

nach DIN 8187

Kettenradscheiben für Dreifach-Rollenketten

nach DIN 8187



ISO-Nr. 24 B-3

Teilung/Pitch: 38,1 mm - 1 1/2" x 1"
 Rollen-Ø/Roller-Ø: 25,4 mm
 Zahnkranzbreite/Width of tooth, B1: 23,6 mm
 Zahnkranzbreite/Width of tooth, B3: 120,3 mm

Artikel-Nr.	Zähne	Teilkreis d [mm]	d(b) [mm]	Gewicht [kg]
30.380-045	45	546,19	40	201,37
30.380-048	48	582,54	40	230,56
30.380-050	50	606,78	40	251,11
30.380-055	55	667,38	40	306,31
30.380-057	57	691,62	40	329,92
30.380-060	60	727,99	40	366,97
30.380-076	76	921,96	40	597,76

ISO-Nr. 28 B-3

Teilung/Pitch: 44,45 mm - 1 3/4" x 1 1/4"
 Rollen-Ø/Roller-Ø: 27,94 mm
 Zahnkranzbreite/Width of tooth, B1: 28,8 mm
 Zahnkranzbreite/Width of tooth, B3: 148,0 mm

Artikel-Nr.	Zähne	Teilkreis d [mm]	d(b) [mm]	Gewicht [kg]
30.450-045	45	637,22	40	337,63
30.450-057	57	806,89	40	552,76
30.450-076	76	1075,62	40	1000,97

ISO-Nr. 32 B-3

Teilung/Pitch: 50,8 mm - 2" x 1 1/4"
 Rollen-Ø/Roller-Ø: 29,21 mm
 Zahnkranzbreite/Width of tooth, B1: 28,8 mm
 Zahnkranzbreite/Width of tooth, B3: 146,0 mm

Artikel-Nr.	Zähne	Teilkreis d [mm]	d(b) [mm]	Gewicht [kg]
30.510-008	8	132,75	25	8,83
30.510-009	9	148,53	25	12,00
30.510-010	10	164,39	25	15,63
30.510-011	11	180,31	30	19,20
30.510-012	12	196,28	30	23,78
30.510-013	13	212,27	30	28,83
30.510-014	14	228,29	30	34,35
30.510-015	15	244,33	30	40,34
30.510-016	16	260,39	30	46,47
30.510-017	17	276,46	30	53,40
30.510-018	18	292,55	30	60,80
30.510-019	19	308,64	30	68,68
30.510-020	20	324,74	30	77,02
30.510-021	21	340,84	40	85,84
30.510-023	23	373,07	40	104,88
30.510-025	25	405,32	40	125,81
30.510-030	30	485,99	40	186,37
30.510-035	35	566,72	40	245,69
30.510-038	38	615,17	40	309,74
30.510-045	45	728,25	40	438,64
30.510-050	50	809,04	40	546,27

ISO-Nr. 32 B-3

Teilung/Pitch: 50,8 mm - 2" x 1 1/4"
 Rollen-Ø/Roller-Ø: 29,21 mm
 Zahnkranzbreite/Width of tooth, B1: 28,8 mm
 Zahnkranzbreite/Width of tooth, B3: 146,0 mm

Artikel-Nr.	Zähne	Teilkreis d [mm]	d(b) [mm]	Gewicht [kg]
30.510-057	57	922,16	40	716,72
30.510-060	60	970,65	40	796,83
30.510-076	76	1229,28	40	1295,64